



2X4 STUDS AT 16" O.C.,
STAGGERED 8" O.C. ON 2X6 PLATE,
SEE STRUCTURAL DRAWINGS



2 LAYERS 5/8" TYPE 'X' GYP. BD.
EACH SIDE

WOOD STRUCTURAL SHEAR
PANEL WHERE OCCURS, SEE
STRUCTURAL DRAWINGS

2 HOUR RATED AND STC 50 TO 54 PER GA FILE No. WP 3910



2 HOUR STC 50 TO 54 STAGGERED STUD PARTITION

3" = 1'-0"